


Treatment Intervention Inventory- Juvenile

CONFIDENTIAL REPORT

NAME : John Example
ID# : 0728
AGE : 16 GENDER : Male
ETHNICITY : Causasian
EDUCATION/GRADE : NA
DATE TII- J SCORED : 06/25/2022

Treatment Intervention Inventory- Juvenile results are confidential and should be considered working hypotheses. No diagnosis or decision be based solely upon these results. Use only with experienced staff judgment.



\* \* SUMMARY PARAGRAPHS EXPLAINING CLIENT'S ATTAINED SCALE SCORES \* \*

TRUTHFULNESS SCALE: PROBLEM RISK RANGE RISK PERCENTILE: 87
This client is self-protective. A conscious or perhaps subconscious attempt to present self in an overly favorable light is evident. This person is defensive and guarded regarding self-disclosure. Denial and defensiveness to further inquiry can be anticipated. Although truth-corrected scale scores should be accurate, some distortion is possible.

ANXIETY SCALE: LOW RISK RANGE RISK PERCENTILE: 8
Few symptoms of anxiety, apprehension, tension or pressure are indicated. In counseling settings, anxiety and depression represent the most commonly reported symptoms of distress. This client reports a low anxiety level. This is a low risk Anxiety Scale score.

**DEPRESSION SCALE: LOW RISK RANGE** **RISK PERCENTILE: 38**  
Few symptoms of depression are evident. Symptoms include sadness, dejection guilt or despair. Sometimes anxiety masks symptoms of depression. A low level of depression is reported. Depression does not present as an issue in this client's overall adjustment.

**ALCOHOL SCALE: LOW RISK RANGE** **RISK PERCENTILE: 13**  
Few, if any, indicators of alcohol (beer, wine or liquor) abuse are evident. Alcohol use, if present, may be historical, experimental or social in nature and represent minimal involvement. Alcohol-related problems do not appear to be focal issues. A person who does not drink may score above zero, but would still be in the low risk range. This is a low risk Alcohol Scale score.

**DRUGS SCALE: PROBLEM RISK RANGE** **RISK PERCENTILE: 77**  
Drug-related problems are indicated. Either this youth has a drug problem or is a recovering (drug problem, but has stopped using) drug abuser. A pattern of drug abuse is evident. Drug-related treatment or counseling and Narcotics Anonymous (NA) or Cocaine Anonymous (CA) could be helpful. Relapse is possible. This is a problem risk Drugs Scale score.

**STRESS COPING SCALE: LOW RISK RANGE** **RISK PERCENTILE: 12**  
Good stress coping abilities are indicated. Low risk scorers cope very well with the stress and pressure they experience. Effective coping skills and stress management do not appear to be significant problems in this client's overall adjustment. This is a low risk score.

**SELF-ESTEEM SCALE: MEDIUM RISK RANGE** **RISK PERCENTILE: 43**  
Average self-esteem is indicated. This client's self-appraisal or self-esteem is generally positive. Self-esteem incorporates an attitude of acceptance--approval versus rejection--disapproval of oneself which includes attitudes, perceptions, feelings and beliefs about oneself. Self-esteem ratings are descriptive of the person one believes oneself to be. This is a medium risk score.

**DISTRESS SCALE: LOW RISK RANGE** **RISK PERCENTILE: 0**  
This youth's Distress Scale score is in the Low Risk (zero to 39th percentile) range. Distress incorporates symptoms of anxiety, dysphoria and depression. It represents the major reason adolescents seek counseling. This juvenile does not report serious distress, consequently no counseling recommendations are presented. This is a low risk Distress Scale profile.

**FAMILY ISSUES SCALE: LOW RISK RANGE** **RISK PERCENTILE: 28**  
This youth's score on the Family Issues Scale is in the Low Risk (zero to 39th percentile) range. Low risk scorers typically perceive their family relationships as harmonious and conflict free. They value the family unit and family homeostasis. This youth would agree that the environment in which we live is much more than a physical world; it consists of close interpersonal interaction within the family group.

**SIGNIFICANT ITEMS:** The following self-report responses represent areas that may help in understanding the client's situation.

ALCOHOL

-----  
Lack of items may be deceptive.  
Review validity and other scales.

DISTRESS

-----  
Lack of items may be deceptive.  
Review validity and other scales.

ANXIETY

-----  
Lack of items may be deceptive.  
Review validity and other scales.

DRUGS

- 8. Admits smokes marijuana (pot)
- 23. Smoked pot in last 30 days
- 47. Admits has a drug problem

FAMILY ISSUES

-----  
Lack of items may be deceptive.  
Review validity and other scales.

DEPRESSION

- 89. Very often bored/restless

TREATMENT NEEDS: The identified items listed below reflect the client's self-reported opinions about perceived treatment needs.

No Treatment Needs Identified

SOCIAL STRESSORS (MULTIPLE CHOICE)

- 132. Happiness: very happy
- 133. Drinking problem: no problem
- 134. Drug use a slight problem
- 135. Distress level: not a problem
- 136. Mental health: not a problem
- 137. States is not recovering
- 138. Rated distress: no problem
- 139. Rated drinking: no problem
- 140. Rated drug use: slight problem
- 141. Denies is suicidal/homicidal
- 142. Family problems: none
- 143. Presently on parole

RECOMMENDATIONS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

STAFF MEMBER SIGNATURE

DATE

TII - JUVENILE RESPONSES

1- 50	TFFTFTFTEF	FFFFTEFFTF	FTTEFFFTFF	FFFFFTTFFF	FTFFFFTTEF
51- 100	2113211252	5141314252	3142434231	4113414344	4112141141
101- 143	2143233411	4341411411	NNNNNNNNNN	N143444112	442